

# Wine Cellar Product Guide



08/15/2019



**Renaissance**  
GENUINE SOLID BRONZE

# Table of Contents

## **NEXUS**

### **WALL CONNECTOR KITS**


SINGLE DOOR KITS.....	3
DOUBLE DOOR KITS.....	4
DOOR & SIDELITE KITS.....	5

### **NEXUS COMPONENTS**

SINGLE DOORS.....	6
DOUBLE DOORS.....	7
SIDELITES.....	8
SIDELITE TRANSOMS.....	9
DOOR TRANSOMS.....	10
ACCESORIES.....	10

<b><u>OMNIA</u></b> .....	11
---------------------------	----

<b><u>LUXE</u></b> .....	11
--------------------------	----



SURL81

**1 LITE SINGLE DOOR KITS - includes 1/2 wall connectors**

Model ID	Width	Height	Swing
SULK61	31"	81-1/2"	Outswing/LH
SURK61	31"	81-1/2"	Outswing/RH
SULL61	33-1/8"	81-1/2"	Outswing/LH
SURL61	33-1/8"	81-1/2"	Outswing/RH
SULN61	37-3/8"	81-1/2"	Outswing/LH
SURN61	37-3/8"	81-1/2"	Outswing/RH
SULK81	31"	95-1/2"	Outswing/LH
SURK81	31"	95-1/2"	Outswing/RH
SULL81	33-1/8"	95-1/2"	Outswing/LH
SURL81	33-1/8"	95-1/2"	Outswing/RH
SULN81	37-3/8"	95-1/2"	Outswing/LH
SURN81	37-3/8"	95-1/2"	Outswing/RH

Sizes listed are for finished openings and kits include 1/2" wall connectors.



SURL84

**4 LITE SINGLE DOOR KITS - includes 1/2 wall connectors**

Model ID	Width	Height	Swing
SULK64	31"	81-1/2"	Outswing/LH
SURK64	31"	81-1/2"	Outswing/RH
SULL64	33-1/8"	81-1/2"	Outswing/LH
SURL64	33-1/8"	81-1/2"	Outswing/RH
SULN64	37-3/8"	81-1/2"	Outswing/LH
SURN64	37-3/8"	81-1/2"	Outswing/RH
SULK84	31"	95-1/2"	Outswing/LH
SURK84	31"	95-1/2"	Outswing/RH
SULL84	33-1/8"	95-1/2"	Outswing/LH
SURL84	33-1/8"	95-1/2"	Outswing/RH
SULN84	37-3/8"	95-1/2"	Outswing/LH
SURN84	37-3/8"	95-1/2"	Outswing/RH



DURK81

### 1 LITE DOUBLE DOOR KITS - includes 1/2 wall connectors

Model ID	Width	Height
<b>DURK61</b>	59-3/8"	81-1/2"
<b>DURL61</b>	63-5/8"	81-1/2"
<b>DURN61</b>	71-1/8"	81-1/2"
<b>DURK81</b>	59-3/8"	95-1/2"
<b>DURL81</b>	63-5/8"	95-1/2"
<b>DURN81</b>	71-1/8"	95-1/2"

Double Doors listed are Right Hinge Active and Outswing. Please inquire for other configurations.

Sizes listed are for finished openings, and kits include 1/2" wall connectors.



DURK84

### 4 LITE DOUBLE DOOR KITS includes 1/2 wall connectors

Model ID	Width	Height
<b>DURK64</b>	59-3/8"	81-1/2"
<b>DURL64</b>	63-5/8"	81-1/2"
<b>DURN64</b>	71-1/8"	81-1/2"
<b>DURK84</b>	59-3/8"	95-1/2"
<b>DURL84</b>	63-5/8"	95-1/2"
<b>DURN84</b>	71-1/8"	95-1/2"



CURL81

### 1 LITE DOOR & SIDELITE - includes 1/2 wall connectors

Model ID	Width	Height	Swing
CULK61	59-5/8"	81-1/2"	Outswing/LH
CURK61	59-5/8"	81-1/2"	Outswing/RH
CULL61	63-7/8"	81-1/2"	Outswing/LH
CURL61	63-7/8"	81-1/2"	Outswing/RH
CULN61	72-3/8"	81-1/2"	Outswing/LH
CURN61	72-3/8"	81-1/2"	Outswing/RH
CULK81	59-5/8"	95-1/2"	Outswing/LH
CURK81	59-5/8"	95-1/2"	Outswing/RH
CULL81	63-7/8"	95-1/2"	Outswing/LH
CURL81	63-7/8"	95-1/2"	Outswing/RH
CULN81	72-3/8"	95-1/2"	Outswing/LH
CURN81	72-3/8"	95-1/2"	Outswing/RH

Sizes listed are for finished openings and kits include 1/2" wall connectors.

Sidelites can be mounted on either side of a door.



CULK84

### 4 LITE DOOR & SIDELITE - includes 1/2 wall connectors

Model ID	Width	Height	Swing
CULK64	59-5/8"	81-1/2"	Outswing/LH
CURK64	59-5/8"	81-1/2"	Outswing/RH
CULL64	63-7/8"	81-1/2"	Outswing/LH
CURL64	63-7/8"	81-1/2"	Outswing/RH
CULN64	72-3/8"	81-1/2"	Outswing/LH
CURN64	72-3/8"	81-1/2"	Outswing/RH
CULK84	59-5/8"	95-1/2"	Outswing/LH
CURK84	59-5/8"	95-1/2"	Outswing/RH
CULL84	63-7/8"	95-1/2"	Outswing/LH
CURL84	63-7/8"	95-1/2"	Outswing/RH
CULN84	72-3/8"	95-1/2"	Outswing/LH
CURN84	72-3/8"	95-1/2"	Outswing/RH



DRN81

## 1 LITE SINGLE DOOR

Model ID	Width	Height	Swing
DLH61	25-3/4"	81"	Outswing/LH
DRH61	25-3/4"	81"	Outswing/RH
DLK61	30"	81"	Outswing/LH
DRK61	30"	81"	Outswing/RH
DLL61	32-1/8"	81"	Outswing/LH
DRL61	32-1/8"	81"	Outswing/RH
DLN61	36-3/8"	81"	Outswing/LH
DRN61	36-3/8"	81"	Outswing/RH
DLH81	25-3/4"	95"	Outswing/LH
DRH81	25-3/4"	95"	Outswing/RH
DLK81	30"	95"	Outswing/LH
DRK81	30"	95"	Outswing/RH
DLL81	32-1/8"	95"	Outswing/LH
DRL81	32-1/8"	95"	Outswing/RH
DLN81	36-3/8"	95"	Outswing/LH
DRN81	36-3/8"	95"	Outswing/RH

Sizes listed are for individual units. Please allow for wall connectors and/or mullions.



DRK84

## 4 LITE SINGLE DOOR

Model ID	Width	Height	Swing
DLH64	25-3/4"	81"	Outswing/LH
DRH64	25-3/4"	81"	Outswing/RH
DLK64	30"	81"	Outswing/LH
DRK64	30"	81"	Outswing/RH
DLL64	32-1/8"	81"	Outswing/LH
DRL64	32-1/8"	81"	Outswing/RH
DLN64	36-3/8"	81"	Outswing/LH
DRN64	36-3/8"	81"	Outswing/RH
DLH84	25-3/4"	95"	Outswing/LH
DRH84	25-3/4"	95"	Outswing/RH
DLK84	30"	95"	Outswing/LH
DRK84	30"	95"	Outswing/RH
DLL84	32-1/8"	95"	Outswing/LH
DRL84	32-1/8"	95"	Outswing/RH
DLN84	36-3/8"	95"	Outswing/LH
DRN84	36-3/8"	95"	Outswing/RH



DDRK84

## 1 LITE DOUBLE DOOR

Model ID	Width	Height
<b>DDRK61</b>	59-3/8"	81"
<b>DDRL61</b>	63-5/8"	81"
<b>DDRN61</b>	71-1/8"	81"
<b>DDRK81</b>	59-3/8"	95"
<b>DDRL81</b>	63-5/8"	95"
<b>DDRN81</b>	71-1/8"	95"

Double Doors listed are Right Hinge Active and Outswing. Please inquire for other configurations.


Sizes listed are for individual units. Please allow for wall connectors and/or mullions.



DDRL84

## 4 LITE DOUBLE DOOR

Model ID	Width	Height
<b>DDRK64</b>	59-3/8"	81"
<b>DDRL64</b>	63-5/8"	81"
<b>DDRN64</b>	71-1/8"	81"
<b>DDRK84</b>	59-3/8"	95"
<b>DDRL84</b>	63-5/8"	95"
<b>DDRN84</b>	71-1/8"	95"



SL81

### 1 LITE SIDELITE

<u>Model ID</u>	<u>Width</u>	<u>Height</u>
SC61	12-3/4"	81"
SD61	14-7/8"	81"
SE61	17"	81"
SF61	19-1/8"	81"
SG61	21-1/4"	81"
SH61	23-3/8"	81"
SJ61	25-1/2"	81"
SK61	27-5/8"	81"
SL61	29-3/4"	81"
SM61	31-7/8"	81"
SN61	34"	81"
SC81	12-3/4"	95"
SD81	14-7/8"	95"
SE81	17"	95"
SF81	19-1/8"	95"
SG81	21-1/4"	95"
SH81	23-3/8"	95"
SJ81	25-1/2"	95"
SK81	27-5/8"	95"
SL81	29-3/4"	95"
SM81	31-7/8"	95"
SN81	34"	95"



Sizes listed are for individual units. Please allow for wall connectors and/or mullions.

SN84

### 4 LITE SIDELITE

<u>Model ID</u>	<u>Width</u>	<u>Height</u>
SC64	12-3/4"	81"
SD64	14-7/8"	81"
SE64	17"	81"
SF64	19-1/8"	81"
SG64	21-1/4"	81"
SH64	23-3/8"	81"
SJ64	25-1/2"	81"
SK64	27-5/8"	81"
SL64	29-3/4"	81"
SM64	31-7/8"	81"
SN64	34"	81"
SC84	12-3/4"	95"
SD84	14-7/8"	95"
SE84	17"	95"
SF84	19-1/8"	95"
SG84	21-1/4"	95"
SH84	23-3/8"	95"
SJ84	25-1/2"	95"
SK84	27-5/8"	95"
SL84	29-3/4"	95"
SM84	31-7/8"	95"
SN84	34"	95"





STJ8

Sidelite transoms are supplied with transom bar to connect top of a door.

SIDELITE TRANSOMS		
<u>Model ID</u>	<u>Width</u>	<u>Height</u>
STC2	12-3/4"	13-7/8"
STC4	12-3/4"	17-3/8"
STC6	12-3/4"	20-7/8"
STC8	12-3/4"	24-3/8"
STD2	14-7/8"	13-7/8"
STD4	14-7/8"	17-3/8"
STD6	14-7/8"	20-7/8"
STD8	14-7/8"	24-3/8"
STE2	17"	13-7/8"
STE4	17"	17-3/8"
STE6	17"	20-7/8"
STE8	17"	24-3/8"
STF2	19-1/8"	13-7/8"
STF4	19-1/8"	17-3/8"
STF6	19-1/8"	20-7/8"
STF8	19-1/8"	24-3/8"
STG2	21-1/4"	13-7/8"
STG4	21-1/4"	17-3/8"
STG6	21-1/4"	20-7/8"
STG8	21-1/4"	24-3/8"
STH2	23-3/8"	13-7/8"
STH4	23-3/8"	17-3/8"
STH6	23-3/8"	20-7/8"
STH8	23-3/8"	24-3/8"
STJ2	25-1/2"	13-7/8"
STJ4	25-1/2"	17-3/8"
STJ6	25-1/2"	20-7/8"
STJ8	25-1/2"	24-3/8"
STK2	27-5/8"	13-7/8"
STK4	27-5/8"	17-3/8"
STK6	27-5/8"	20-7/8"
STK8	27-5/8"	24-3/8"
STL2	29-3/4"	13-7/8"
STL4	29-3/4"	17-3/8"
STL6	29-3/4"	20-7/8"
STL8	29-3/4"	24-3/8"
STM2	31-7/8"	13-7/8"
STM4	31-7/8"	17-3/8"
STM6	31-7/8"	20-7/8"
STM8	31-7/8"	24-3/8"
STN2	34"	13-7/8"
STN4	34"	17-3/8"
STN6	34"	20-7/8"
STN8	34"	24-3/8"



DTH8

DOOR TRANSOMS		
Model ID	Width	Height
<b>DTH2</b>	25-3/4"	13-7/8"
<b>DTH4</b>	25-3/4"	17-3/8"
<b>DTH6</b>	25-3/4"	20-7/8"
<b>DTH8</b>	25-3/4"	24-3/8"
<b>DTK2</b>	30"	13-7/8"
<b>DTK4</b>	30"	17-3/8"
<b>DTK6</b>	30"	20-7/8"
<b>DTK8</b>	30"	24-3/8"
<b>DTN2</b>	36-3/8"	13-7/8"
<b>DTN4</b>	36-3/8"	17-3/8"
<b>DTN6</b>	36-3/8"	20-7/8"
<b>DTN8</b>	36-3/8"	24-3/8"

Door transoms are supplied with transom bar to connect top of a door.

Wall Connectors, Mullions & Corner Posts			
Type	Width	96" LENGTH	144" LENGTH
Wall-Connector	1/2"	<b>WC408</b>	<b>WC412</b>
Wall-Connector	7/8"	<b>WC708</b>	<b>WC712</b>
Wall-Connector	1-3/8"	<b>WC1408</b>	<b>WC1412</b>
Mullion	1"	<b>M808</b>	n/a
Mullion	2"	<b>M1608</b>	<b>M1612</b>
Corner Post	3-1/8"	<b>CP9008</b>	<b>CP9012</b>
Corner Post	1-3/4"	<b>CP4508</b>	<b>CP4512</b>

## OMNIA

This product offering incorporates all the features of Nexus, plus the following:

- **Custom Sizes** - Doors up to 42” wide, and 120” tall.
- **Custom Lite Layout** – ANY configuration of rectangular TDL lite layout up to 7 lites wide, and 7 lites tall per panel
- **Direct Set Sidelites** – Allows for a much narrower mullion for a cleaner more custom look.
- **Choice of Nail Fins** – Standard, inset, RC Channel, Nexus type and custom.
- **Specialty Locks** – Electric strike, Salto, custom levers etc.

*Omnia is quoted per job. Please send sketch with dimensions to get started.*

## LUXE

In our Luxe, the world of design possibilities is expansive! In addition to a myriad of door and wall configurations, we have also produced:

- **Custom Wine Racks**
- **Folding & Sliding Doors**
- **Glass Floors**
- **Glass Ceilings**

*Contact our Design Specialists to begin the journey...*

**(210) 832-8040**



**NEXUS • OMNIA • LUXE**

**Renaissance GSB**

8902 Broadway St.  
San Antonio, TX 78217  
(210) 832-8040  
[www.RGSbronze.com](http://www.RGSbronze.com)  
[sales@rgsbronze.com](mailto:sales@rgsbronze.com)

**Terms of Sale:** Renaissance GSB is primarily focused on sales to professional wine cellar contractors and reserves the *right* to refuse service to anyone. All sales are made in USD, normal terms are 50% with order /50% before shipping. Product is shipped FOB from our dock, and is offered for sale in Bexar County, Texas, and that shall be the exclusive venue. For complete terms and conditions, please visit [www.rgsbronze.com](http://www.rgsbronze.com)